

Math 362: Mathematical Statistics II

Le Chen

le.chen@emory.edu

Emory University
Atlanta, GA

Last updated on April 13, 2021

2021 Spring

Chapter 9. Two-Sample Inferences

§ 9.1 Introduction

§ 9.2 Testing $H_0 : \mu_X = \mu_Y$

§ 9.3 Testing $H_0 : \sigma_X^2 = \sigma_Y^2$

§ 9.4 Binomial Data: Testing $H_0 : p_X = p_Y$

§ 9.5 Confidence Intervals for the Two-Sample Problem

Plan

§ 9.1 Introduction

§ 9.2 Testing $H_0 : \mu_X = \mu_Y$

§ 9.3 Testing $H_0 : \sigma_X^2 = \sigma_Y^2$

§ 9.4 Binomial Data: Testing $H_0 : p_X = p_Y$

§ 9.5 Confidence Intervals for the Two-Sample Problem

Chapter 9. Two-Sample Inferences

§ 9.1 Introduction

§ 9.2 Testing $H_0 : \mu_X = \mu_Y$

§ 9.3 Testing $H_0 : \sigma_X^2 = \sigma_Y^2$


§ 9.4 Binomial Data: Testing $H_0 : p_X = p_Y$

§ 9.5 Confidence Intervals for the Two-Sample Problem

Mot. 1

Mot. 2 To test $H_0 : \mu_X = \mu_Y$ under the assumption $\sigma_X^2 = \sigma_Y^2$, we need to first test $\sigma_X^2 = \sigma_Y^2$.

Mot. 1



Mot. 2 To test $H_0 : \mu_X = \mu_Y$ under the assumption $\sigma_X^2 = \sigma_Y^2$, we need to first test $\sigma_X^2 = \sigma_Y^2$.

Testing $H_0 : \sigma_X^2 = \sigma_Y^2$

v.s.

(at the α level of significance)

$H_1 : \sigma_X^2 < \sigma_Y^2:$

$H_1 : \sigma_X^2 \neq \sigma_Y^2:$

$H_1 : \sigma_X^2 > \sigma_Y^2:$

Reject H_0 if

Reject H_0 if

Reject H_0 if

$$s_Y^2/s_X^2 \leq F_{\alpha, m-1, n-1}$$

$$s_Y^2/s_X^2 \geq F_{1-\alpha/2, m-1, n-1}$$

$$s_Y^2/s_X^2 \geq F_{1-\alpha, m-1, n-1}$$

OR

$$s_Y^2/s_X^2 \leq F_{\alpha/2, m-1, n-1}$$

E.g. Electroencephalograms (EEG).

Twenty inmates in a Canadian prison, randomly split into two groups of equal size: one in solitary confinement, one in their own cells.

Measure the alpha waves. Whether the observed difference in variability is significant (set $\alpha = 0.05$.)

Sol. ...



E.g. Electroencephalograms (EEG).

Twenty inmates in a Canadian prison, randomly split into two groups of equal size: one in solitary confinement, one in their own cells.

Measure the alpha waves. Whether the observed difference in variability is significant (set $\alpha = 0.05$.)

Nonconfined, x_i	Solitary Confinement, y_i
10.7	9.6
10.7	10.4
10.4	9.7
10.9	10.3
10.5	9.2
10.3	9.3
9.6	9.9
11.1	9.5
11.2	9.0
10.4	10.9




Figure 9.3.2 Alpha-wave frequencies (cps).

Sol. ...



