

# Index

- activity digraph 279
- activity graph 279
- acyclic graph 10-11
- adjacency 4, 13-17, 27, 76, 137, 183, 185, 263-264, 270
- adjacency list 14-16
- adjacency matrix 13-14, 17, 75, 257-258
- Albertson 135, 155
- Albertson's algorithm 135
- algorithms 1, 15-18, 21, 34-47, 53-54
- Anderson 211, 220
- antichain 251-252
- antisymmetric 251
- Appel 241, 248
- approximate coloring algorithms 229
- arc 7-8, 39-40
- assignment problem 191, 194, 202
- augmenting path 103, 105-112, 114
- augmenting path technique 103-107
- automorphism partitioning 258, 262
- auxiliary graph 168
- auxiliary network 116
- average time complexity 16-18
  
- Babai 257, 294
- back arc 104, 106
- back edge 44, 47-48, 183-187
- backtracking algorithm 61, 119, 264, 269
- Beineke 239, 248, 294
- Berge 192-193, 220
- BFS algorithm 34-36
- Biggs 29
  
- binary encoding 88-91
- binary tree 85
- binomial generating function 93
- bipartite graph 12, 27, 197, 204
- Birkhoff 207, 220, 241, 248
- blind search 58
- block designs 305
- blocking configuration 271
- blocking flow 112-113
- blocking pattern 271
- Bondy 133, 140, 142, 155
- bounding function 16-17
- bottleneck assignment problem 81-85
- branching 51
- breadth-first search 34, 67, 112-113, 115
- Brelaz 231-232, 248
- bridge 46-47, 49
- Brooks 227, 248
- Burr 271, 294
  
- capacity 100-101, 102-103, 108
- cartesian product 12
- Cauchy 302, 324
- Cayley 72-73, 98
- Cayley's tree formula 72
- chain 251
- chain partition 253-254
- characteristic matrix 259
- Chartrand 146, 155
- Chinese postman problem 130-131
- chromatic index 236
- chromatic number 223-224, 227-234
- chromatic polynomial 241-243
- Chvátal 133, 155

- circuit 10, 61, 125-131
- class count vector 259, 262-263, 265
- classification problem 238-239
- clique 234
- closed path 10, 154
- closed trail 10
- closed walk 136
- closure 134-135
- coding tree 89-91
- color classes 223
- color-degree 232-233
- coloring algorithms 229-235, 237
- colorings 223-230, 232, 234, 241
- column characteristic matrix 259
- combinatorial dual 170
- combinatorial explosion 257
- comparability graphs 253
- complement 11
- complete bipartite graphs 12, 270, 306
- complete graph 10, 12
- component 10-11, 46
- computational complexity 16, 18
- connected components 11, 53-54, 59, 170, 173, 211, 239
- connected graph 10, 33, 43-48
- connectivity 10, 46-49, 51-52
- consistent mapping 269
- convex functions 323
- Corneil 258, 294
- cover 122, 221, 222,
- covered vertex 128, 204, 221, 280, 284
- covering number 222, 280, 284
- covering relation 221, 251
- critical arc 81, 83
- critical graph 224-225, 227, 280
- critical path 280
- cut capacity 102
- cut vertex 46
- cuts 46-47, 61, 67, 108, 114, 124, 136, 158, 178-179, 184, 203-204, 231
- cycle 10, 28, 40, 42, 49-51, 61, 65, 68, 79, 132, 136-138, 141, 144, 147, 154-156
- cycle length 10, 40, 147, 154, 221, 252
- Dantzig 118, 124
- De Morgan 239
- decision problems 18
- degenerate extremal problem 308
- degree 4, 7, 18-20
- degree matrix 75-76
- degree sequence 18-19, 22, 24, 26, 28, 74, 100, 264, 292
- Demoucron 169, 175, 190
- depth-first search 44-47, 54, 58, 64, 183
- determinant 80, 82, 254
- digraph 7-10, 24, 26-27
- digraphical sequences 24
- Dijkstra 36-40, 63
- Dijkstra's algorithm 36-40
- Dilworth 122, 124, 254, 294
- Dinic 101, 108, 111, 124
- Dirac 133, 140, 155, 224-225, 249
- directed edges 7, 78, 279
- directed graphs 7, 136, 148, 301
- directed path 52, 85, 109, 124, 128
- directed spanning tree 78-81
- directed trees 78, 80, 84
- disconnected 10
- disjoint paths 50, 124-125, 128, 172
- distance 31-34, 36-37, 40-43
- distance matrix 259
- dominate 4
- dominating circuits 145
- Druffel 258, 295

- dual 170-172
- Duby 140, 156
- Duffus 155, 257, 294
- Dushnik 256, 294
  
- edge 3-5, 7-12, 14
- edge chromatic number 236, 238, 248
- edge colorings 236
- edge connectivity 49, 51, 78, 135, 178, 231
- edge covering number 222
- edge cut sets 46
- edge degree 4, 20, 23, 49, 74, 131, 137-138, 178-179
- edge density 241
- edge independence number 222
- edge interchange 20
- Edmonds 83, 98, 107, 124, 131 155
- Eggleton 22, 29
- Elias 51, 63
- eligible arcs 82
- embedding 159-160, 169-170, 175-176
- empty graph 21
- encoding 89-91
- end vertices 4, 67, 73, 85, 143, 165, 177, 191, 198, 226
- Erdős 23, 29, 267, 269, 308
- Euler 125, 155, 160
- Euler's formula 160
- eulerian circuit 125-127, 129-130, 135
- eulerian digraphs 133
- eulerian graphs 125-130, 133, 137
- expected value 315
- exterior region 159
- extremal graph 297, 228-299 308-314
  
- factoring 17, 63, 211, 214
- Faudree 155-156, 295
- Feinstein 51, 63
- finite state machine 273, 274-275 292
- first stability theorem 313
- Fleischner 144-145, 156
- Fleury 127, 156
- flow 99-100, 102, 105
- Floyd 42, 63
- forbidden subgraph 147, 156
- Ford 51, 63, 107, 109-110, 112-115, 122-124, 129-130, 204, 226
- forest 10
- forward labeling 103
- four color problem 239-241
- Fraisse 136, 156
- Fulkerson 22, 24, 29, 51, 63, 107, 109-110, 112-115, 122-124, 129-130, 204, 226, 251, 254, 260, 300
  
- G-admissible 173
- Gallai 23, 29, 254
- Garey 18, 29, 162, 254
- Gaudin 140, 156
- generalized network 115
- generating function 93
- geometric dual 170-172
- Ghouila-Houri 156
- girth 149-151
- Goodman 137, 153, 162, 307, 330
- Gordon 162
- Gottlieb 258
- Gould 136, 156, 220, 272, 295
- graph 1, 3-19, 21-22
- graphical sequence 19, 21, 23, 27, 292
- greedy 70, 161, 211-212, 235-236, 255
- Grinberg 185-188
- Guthrie 239
  
- Hajnal 29

- Haken 241, 248
- Hakimi 19, 29
- Hall 194, 220
- Hamilton 131-132
- hamiltonian cycle 132-138, 141, 147, 161, 193, 196
- hamiltonian path 137, 145, 149, 159, 163
- Harary 145, 156
- Hasse 251
- Havel 19, 29
- Heawood 240, 249
- Hedetniemi 131, 147, 156
- Hendry 156
- Herz 140, 156
- heuristic 55, 58-60, 148, 229-233, 248
- Hierholzer 125, 129, 156
- hill climbing 59
- Hobbs 155
- Hoffman 29
- homogeneously traceable 139-140, 153, 155
- Hopcroft 44, 63, 183, 196
- Hu 280, 295
- Huffman 88-93, 98
- hungarian algorithm 201, 204
- hungarian tree 201-202
- hypohamiltonian graphs 139-140, 153
  
- icosian game 131
- incidence matrix 14-15
- incompatible segments 168
- indegree 7, 24, 80, 84, 264
- indegree matrix 78, 80
- independence number 222-223, 229
- independent edges 4, 191, 204, 209
- independent sets 191, 204, 209, 221-222
- independent vertices 4, 191, 222, 223, 240
- induced subgraph 6
- inorder traversal 87-90
- interior 165-166
- interior regions 165-166
- interior vertex 286
- interval graphs 4
- interval orders 251
- intractability 17-18
- intractable problem 17-18
- Isaacson 230, 249
- isomorphic graphs 5, 26, 161, 194, 263-264, 269, 273, 297
- isomorphic posets 252
- isomorphism 5, 19, 26, 88, 257-264, 290
  
- Jacobson 136, 156, 220
- job assignment problem 191, 194, 202
- Johnson 18, 29, 137, 161-162, 254
- Johri 235, 249
- Jung 155
  
- Kapoor 155
- Karp 81, 98
- Kirchhoff 75, 98
- Koch 241, 248
- Kruskal 68, 98
- Kuhn 220
- Kumar 101, 112-113
- Kuratowski 163, 190
- Kwan 130, 156
  
- Landau 286, 295
- largest first heuristic 230-231
- Lawrence 271, 295
- layered network 108-110, 112-113, 123
- leaf 88, 93-94, 207
- length 5, 9-10, 13, 31-32
- level 51, 56-58, 60, 85, 91, 138, 239, 269, 271-272, 286-290

- leveled tree 85-91
- lexicographic product 12
- Lindgren 140, 157
- line graph 28, 145-146, 156, 159  
170
- linear order 251-252, 256
- loop 7
- lowpoint 54
- lowpt function 54, 177
- Lucas 64, 156
  
- M-augmenting 192
- Maheshwari 101, 112-113, 124
- Malgrange 169, 173-174, 190
- Malhorta 101, 112-113, 124
- Manvel 229, 249
- Marble 230, 249
- marriage 195, 198, 209-210
- matching 191-196,  
204-211, 215-218, 223
- Matula 230, 235, 249
- max flow-min cut theorem 108,  
119, 124
- maximum branchings 81-86
- maximum flow 103-107, 109-  
111, 112-116, 121, 123-124, 126-  
127, 130
- maximum matching 192, 197,  
198, 200, 204-205, 209, 217-218
- Maybee 255
- McAndrew 29
- Menger 51, 63, 118
- metric function 32, 60
- Meyniel 142, 157
- Miller 256, 294
- minimal spanning tree 68
- minimum degree 49, 75, 137, 147,  
236, 303
- minor 75, 78
- Moon 289, 295
- Moore 34, 63
- Moser 289, 295
- multidigraph 7
- multigraph 6-10, 131-132, 137,
- n-chromatic 224
- Nash-Williams 145, 156
- nearest neighbor 58
- negative cycle 40, 42
- neighbor 36, 58-59, 88-89, 154
- neighborhood 4, 136-138, 149,  
156
- network 100, 102-107, 111,  
114-116, 118-119, 121-122, 124,  
126-130, 204, 223, 226, 254-255,  
296
- Newman 133, 157
- nonadjacency 14
- nondeterministic algorithm 18
- nonplanar 162-164, 172, 174,  
185-187
- NP-complete problems 18
  
- 1-factor 211, 213-214, 218
  
- order 4, 7, 18
- Ore 67, 98, 132-133, 157
- orientation 88, 284
- outdegree 7, 24, 264, 290
- Overbeck-Larisch 143, 157
  
- panconnected 141, 153
- pancyclic 142
- parent 88, 90
- parity check machine 274
- Parsons 294
- partial order 251-256
- partite sets 11-12, 175, 304, 309,  
312
- paths 9-10, 26, 31-32, 42-43, 47,  
50-52, 56-57, 60-61, 63, 85, 88,  
93, 95-96, 102, 107, 109-114, 116,  
118-119, 124-125, 128, 137-138,  
141, 145, 149, 154, 159, 163,  
172-173, 181, 183, 185-191, 195,  
198-199, 204-205, 207-208, 212,

- 246, 265, 276, 285-287
- perfect graphs 244-245  
250-253
- perfect matching 192, 195-197,  
217-218
- permutation matrix 207-209
- Pertuiset 173, 174-176, 190
- Petersen 151, 153, 188, 213-215,  
220
- phase 110-112
- pieces 167-168
- pigeon hole principle 24-25, 267
- planar graph 159-160, 169-170,  
173, 176-180, 191, 194, 196,  
245-247, 258, 263, 301
- poset 251-252, 254-255
- postorder traversals 88
- potential 112-113
- Powell 230, 249
- predecessor 88
- preorder traversal 88
- Prim 70, 98
- probability models 314-315
- projective planes 305-306
- pseudograph 7
- pseudomultidigraph 7
  
- Ramsey 267, 295
- ramsey number 267-272
- Ramsey theory 267-272
- random graph 241, 314
- recurrence relation 98, 248
- region 159-160, 165-167, 171-172,  
175, 177, 180-181, 189, 192-193
- regular graph 4, 150-151, 195,  
247
- right child 85, 88-90
- root vertices 76, 88-90
- round-robin tournaments 284
- row characteristic matrix  
259
- Ryser 24, 29
  
- Sabidussi 29
- scheduling problem 278-284  
292
- Schelp 156
- Schmidt 258-260, 295
- Schnyder 257, 295
- score 284-286
- search tree 35
- segment 168-169, 173-176,  
178-181
- semipath 52
- semiwalk 51-52
- sequence 8-9, 18-24, 26-29, 73-  
74, 91, 98, 100-101, 179-180, 260,  
264, 291-292, 294, 301, 320
- sequential coloring algorithm  
229-235
- Shannon 51, 63, 238-239, 249
- Simonovits 322
- size 4, 16-17, 26-27, 105, 166-  
167, 260, 269, 271-272, 303, 310,  
329
- Skupien 140, 157
- slack 103, 104-107
- Sleator 101, 124
- Sousselier 140
- spanning subgraphs 6, 68, 84, 211
- spanning tree 65, 68-70, 72-73,  
75-76, 78, 80-82, 84, 101-102
- splitting away process 129-130
- square 16-17, 62, 150-152, 161-  
162, 223
- stable matching 209-210
- stack 48, 54, 117, 191
- state diagrams 57, 273-278
- state space 56-59
- state spaces 56-59
- state transition function 274
- stochastic matrix 207-208
- Stone 308, 321
- strong component 52-54
- strong 10, 52-54
- strong perfect graph conjecture

- 246
- subdivided edge 163
- subgraph 6, 18, 27-28, 47, 61, 67, 84, 86, 101, 153, 161, 169-173, 178-179, 194, 217, 236-238, 250, 252, 296, 304, 306-307, 309, 315, 317, 319, 330
- suitability 191, 202-204
- symmetric order traversal 87
- symmetrization 299
- Szekeres 267, 294
- Szpilrajn 256, 295
  
- Tarjan 44, 53-54, 63-64, 177, 190
- terminal vertices 189
- time complexity 16-18
- total flow 101-102, 109
- tournament 284-290, 293-294 295
- traceable graph 139-140, 153-154
- trail 9-10, 26, 32, 125-131
- transversal 195
- traveling salesman 149-148, 154
- tree 10, 35, 44, 47, 65-70, 72-76, 78, 80-82, 84, 88-96, 98, 100-103, 137, 157, 166, 183-185, 187, 207-208, 223, 276, 286-290, 298-299, 301, 303
- Tremaux 44, 64
- trivial path 9, 128
- Tucker 129-130, 157
- Tutte 78, 98, 211, 220
  
- underlying graph 10
- undirected graphs 3, 40, 60
- union 11
- unsuitability matrix 203
- useful arc 109-110
- useful edge 6-7, 78, 198, 227
  
- variance 315
- Veblen 125, 157
- vertex 3-4, 6-9, 12, 14, 18, 24-25
- Vizing 236-237, 249
- Von Neumann 207, 220
  
- walk 8-9, 26, 32, 136-137
- Wall 146, 155
- water jug problem 55-56, 59
- weak connected 10, 52
- weight 36, 40, 42, 60, 65, 68-70, 72, 84, 86-87, 95-96, 102, 154, 197, 208, 212-213, 224-225
- weight function 40
- weighted path length 40, 95-96
- Welsh 230, 249
- Whitney 49, 51, 64, 170, 190
- Williamson 141, 157
- Wilson 239, 248
- Winston 301, 331
- Woodall 142, 157
  
- Zarankiewicz 330, 322
- Zykov 298-299, 322

